


# **EXPOSE CONCRETE**

CV. KENCANA SOLUSI BANGUNAN Expose Concrete Authorized Agent

COHUB Coworking Space Lt. 2


Email : suryani@ksbgroup.id Office : +62 853-6360-9898 IG : xpose.medan







## **BAUHAUS SERIES**






## ONE TILE FOR MULTIPLE PATTERNS


#### SUITABILTY FOR:

✓ WALL

☐ FLOOR

☑ OUTDOOR/INDOOR





#### TECHNICAL DATA

dimensions:  $340 \times 340$  mm volume: 9 tiles/m2 thickness: 14 mm

colours : 16 basic colours are available

material : reinforced, coloured fine composite

concrete

surfaces : smooth

suitability : interior / exterior use for walls

xpose.medan
suryani@ksbgroup.id
+62 853-6360-9898

TEM!

**EXPOSE CONCRETE** 

## EASY UPDATES THAT INSTANTLY TRANSFORM YOUR SPACE







## OKSIBIL






## ONE TILE FOR MULTIPLE PATTERNS


#### SUITABILTY FOR:


**∀** WALL


☐ FLOOR

☑ OUTDOOR/INDOOR









#### TECHNICAL DATA

dimensions: 200 × 400 mm volume: 12 tiles/m2

thickness : 12 mm on side, highest point 24 mm

colours : 16 basic colours are available

material : reinforced, coloured fine composite

concrete

surfaces : smooth

suitability : interior / exterior use for walls

xpose.medan

■ suryani@ksbgroup.id

HEW

CONTEMPORARY CONCRETE TILES

EXPOSECONCRETE





## WABISABI








## ONE TILE FOR MULTIPLE PATTERNS


#### SUITABILTY FOR:


▼ WALL


☐ FLOOR

☑ OUTDOOR/INDOOR









#### TECHNICAL DATA

dimensions:  $380 \times 380 \text{ mm}$ volume: 9 tiles/m2

thickness : highest point 17 mm

colours : 16 basic colours are available material : reinforced, coloured fine composite


concrete

surfaces : smooth

suitability : interior / exterior use for walls

xpose.medan

suryani@ksbgroup.id







## PINUS





## ONE TILE FOR MULTIPLE PATTERNS


#### SUITABILTY FOR:

WALL


☐ FLOOR

☑ OUTDOOR/INDOOR


01.




02.



03.





#### TECHNICAL DATA

dimensions :  $150 \times 173$  mm volume : 75 tiles/m2

thickness : highest point 30 mm

colours : 16 basic colours are available material : reinforced, coloured fine composite

concrete

suitability : interior / exterior use for walls

xpose.medan

suryani@ksbgroup.id







## SAGA







## ONE TILE FOR MULTIPLE PATTERNS


SUITABILTY FOR:


☑ WALL


☐ FLOOR

03.

☑ OUTDOOR/INDOOR







#### TECHNICAL DATA

dimensions:  $180 \times 160 \text{ mm}$ volume: 48 tiles/m2

thickness : highest point 37 mm

colours : 16 basic colours are available

material : reinforced, coloured fine composite


concrete

surfaces : smooth

suitability : interior / exterior use for walls

@xpose.medan

suryani@ksbgroup.id







## SEBATIK







## ONE TILE FOR MULTIPLE PATTERNS


#### SUITABILTY FOR:

WALL


☐ FLOOR

☑ OUTDOOR/INDOOR


01.




02.



03.





#### TECHNICAL DATA

dimensions:  $245 \times 245 \text{ mm}$ volume: 16 tiles/m2

thickness : 10 mm on side, highest point 33 mm

colours : 6 basic colours are available

material : reinforced, coloured fine composite


concrete

surfaces : smooth

suitability : interior / exterior use for walls

@xpose.medan

suryani@ksbgroup.id







### MAHAMERU








## ONE TILE FOR MULTIPLE PATTERNS


SUITABILTY FOR:


▼ WALL

☐ FLOOR

☑ OUTDOOR/INDOOR







#### TECHNICAL DATA

no. of forms : 2 forms

dimensions : 160 × 138 mm volume : mix 62 tiles/m2

thickness : 7 mm on side, highest point 50 mm colours : 16 basic colours are available

material : reinforced, coloured fine composite

concrete

surfaces : smooth

suitability : interior / exterior use for walls

@xpose.medan

suryani@ksbgroup.id







## DIAMOND








## ONE TILE FOR MULTIPLE PATTERNS

#### SUITABILTY FOR:


WALL


☑ FLOOR

☑ OUTDOOR/INDOOR









#### TECHNICAL DATA

dimensions: 345 x 200 mm volume: 30 tiles/m2

thickness : thickness depending on function:

13 mm - wall coverings

20 mm - interior and exterior floors

colours : 16 basic colours are available

material: reinforced, coloured fine composite


concrete

surfaces : smooth (beveled)

suitability : interior/exterior for walls & floors

@xpose.medan

suryani@ksbgroup.id







## ADONARA








## ONE TILE FOR MULTIPLE PATTERNS


#### SUITABILTY FOR:


WALL

☐ FLOOR

☑ OUTDOOR/INDOOR







# 315 22

#### TECHNICAL DATA

dimensions :  $315 \times 315$  mm volume : 15 tiles/m2

thickness : highest point 22 mm

colours : 10 basic colours are available

material : reinforced, coloured fine composite

concrete


surfaces : smooth

suitability : interior / exterior use for walls

@xpose.medan

suryani@ksbgroup.id+62 853-6360-9898

©2015-2020 Expose Concrete. All rights reserved. The Expose Concrete\* name, and the designs are registered trademarks of Expose Concrete. The reproduction, copying, modification, display of this products for any purpose without the prior written consent of Expose Concrete is strictly prohibited.







## BARUNA









SUITABILTY FOR:

WALL

☐ FLOOR

☑ OUTDOOR/INDOOR





#### TECHNICAL DATA

dimensions: 448 × 110 mm : 28 tiles/m2 volume

thickness : highest point 25 mm

02.

: 16 basic colours are available colours

material : reinforced, coloured fine composite


concrete

surfaces : smooth

: interior / exterior use for walls suitability

xpose.medan

suryani@ksbgroup.id **6** +62 853-6360-9898







## PAPUMA








## ONE TILE FOR MULTIPLE PATTERNS


#### SUITABILTY FOR:


WALL


☑ FLOOR

☑ OUTDOOR/INDOOR









#### TECHNICAL DATA

no. of forms: 2 forms

dimensions : 1 : 295 x 295 mm

: **2** : 218 x 218 mm

volume : 22 tiles/m2 (**1:** 11 & **2:** 11 tiles)

thickness : thickness depending on function:

: 13 mm - wall coverings


: 20 mm - interior and exterior floors

colours : 16 basic colours are available

material : reinforced, coloured fine compsit concrete suitability : interior / exterior use for walls & floor

xpose.medan

suryani@ksbgroup.id







## SENTE







## ONE TILE FOR MULTIPLE PATTERNS


SUITABILTY FOR:


▼ WALL


☐ FLOOR

☑ OUTDOOR/INDOOR

OI.







TECHNICAL DATA

dimensions :  $345 \times 290 \text{ mm}$ volume : 10 tiles/m2

thickness : 11 mm on side, highest point 22 mm

colours : 6 basic colours are available

material : reinforced, coloured fine composite

concrete

surfaces : smooth

suitability : interior / exterior use for walls

xpose.medan

suryani@ksbgroup.id+62 853-6360-9898







## SAMALAS








## ONE TILE FOR MULTIPLE PATTERNS


#### SUITABILTY FOR:

WALL

☐ FLOOR

☑ OUTDOOR/INDOOR





xpose.medan

suryani@ksbgroup.id+62 853-6360-9898

#### TECHNICAL DATA

no. of forms: 3 forms

 $\begin{array}{ll} \text{dimensions} & : \ 150 \times 170 \ \text{mm} \\ \text{volume} & : \ \text{mix} \ 75 \ \text{tiles/m2} \end{array}$ 


thickness : highest point 12 mm colours : 16 basic colours are available

material : reinforced, coloured fine composite

concrete

surfaces : smooth

suitability : interior / exterior use for walls







## HEXALINES






## ONE TILE FOR MULTIPLE PATTERNS


#### SUITABILTY FOR:

▼ WALL

☑ FLOOR

☑ OUTDOOR/INDOOR





#### TECHNICAL DATA

no. of forms: 3 forms dimensions: 290 x 345 mm volume: mix 10 tiles/m2

thickness : 12 mm

colours : 16 basic colours are available

material : reinforced, coloured fine composite


concrete

surfaces : lines

suitability : interior/exterior for walls & floors

xpose.medan

suryani@ksbgroup.id+62 853-6360-9898





## HEXA34








# ONE TILE FOR MULTIPLE **PATTERNS**


SUITABILTY FOR:


₩ALL

☑ FLOOR

☑ OUTDOOR/INDOOR







xpose.medan

survani@ksbgroup.id

**6** +62 853-6360-9898

#### TECHNICAL DATA

no. of forms: 1 form

dimensions : 290 x 345 mm volume : 10 tiles/m2 thickness · 12 mm

: 16 basic colours are available colours

material : reinforced, coloured fine composite

concrete

surfaces : lines

: interior/exterior for walls & floors suitability







## HEXA18








## ONE TILE FOR MULTIPLE PATTERNS


SUITABILTY FOR:


▼ WALL

☑ FLOOR

☑ OUTDOOR/INDOOR







xpose.medan

suryani@ksbgroup.id+62 853-6360-9898

TECHNICAL DATA

no. of forms: 2 forms dimensions: 205 x 178 mm volume: mix 33 tiles/m2

thickness : thickness depending on function:

13 mm - wall coverings

20 mm - interior and exterior floors

colours : 16 basic colours are available

material : reinforced, coloured fine composite

concrete


surfaces : smooth & textures (beveled) suitability : interior/exterior for walls & floors







## HEXAPOROUS



ONE TILE FOR MULTIPLE PATTERNS







SUITABILTY FOR:


WALL

☑ FLOOR

☑ OUTDOOR/INDOOR







xpose.medan

suryani@ksbgroup.id

**6** +62 853-6360-9898

#### TECHNICAL DATA

no. of forms: 1 form

dimensions: 345 x 290 mm : 10 tiles/m2 volume thickness : 12 mm

: 4 basic colours are available

colours

material : reinforced, coloured fine composite

concrete

surfaces : rough

: interior/exterior for walls & floors suitability



#### COLOURS AVAILABLE



\* Custom colors are available on request

Lg: light grey Mo: monkey grey Mg: mouse grey Rg:rock grev

Fg: forest green Av: avocado

Cr : creme Gg: ginger Tc: terracotta

Op : old pink Lb: light blue Sb: sky blue

Nb: navy blue Tq: turqoise

Mt: mint PL: pale

@xpose.medan

suryani@ksbgroup.id



# **EXPOSE CONCRETE**

CV. KENCANA SOLUSI BANGUNAN **Expose Concrete Authorized Agent** 

COHUB Coworking Space Lt. 2 Jl. T. Amir Hamzah No. 38-A, Medan 20117

Email: suryani@ksbgroup.id Office: +62 853-6360-9898 IG: xpose.medan

Sales Marketing 462 853-6360-9898